

Welcome to IEEE Xplore

- Home
- What Can I Access?
- Log-out

REFINE YOUR SEARCH

- Journals & Magazines
- Conference Proceedings
- Standards

SEARCH


- By Author
- Basic
- Advanced
- CrossRef

MEMBER SERVICES

- Join IEEE
- Establish IEEE Web Account
- Access the IEEE Member Digital Library

ENTERPRISE

- Access the IEEE Enterprise File Cabinet



Your search matched **11** of **1130773** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or enter a new one in the text box.

((graphic* or iconic) <near> (program* or language*)) a

Check to search within this result set

Results Key:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

1 CHIME: customizable hyperlink insertion and maintenance engine for software engineering environments

Devanbu, P.; Chen, Y.-F.; Gansner, E.; Muller, H.; Martin, J.;
Software Engineering, 1999. Proceedings of the 1999 International Conference on , 16-22 May 1999

Pages:473 - 482

[Abstract] [PDF Full-Text (984 KB)] **IEEE CNF**

2 Zooming and tunneling in Tioga: supporting navigation in multidimensional space

Woodruff, A.; Wisnovsky, P.; Taylor, C.; Stonebraker, M.; Paxson, C.; Chen, J.; Aiken, A.;
Visual Languages, 1994. Proceedings., IEEE Symposium on , 4-7 Oct. 1994

Pages:191 - 193

[Abstract] [PDF Full-Text (212 KB)] **IEEE CNF**

3 Learning on demand-a hybrid synchronous/asynchronous approach

Latchman, H.; Salzmann, C.; Gillet, D.; Kim, J.;
Education, IEEE Transactions on , Volume: 44 , Issue: 2 , May 2001

Pages:17 pp.

[Abstract] [PDF Full-Text (12 KB)] **IEEE JNL**

4 Visualizing space science data in 3D

Mathews, G.J.;
Computer Graphics and Applications, IEEE , Volume: 16 , Issue: 6 , Nov. 1996

Pages:6 - 9

[Abstract] [PDF Full-Text (780 KB)] **IEEE JNL**

5 Impact analysis and change management for avionics software

Loyall, J.P.; Mathisen, S.A.; Satterthwaite, C.P.;
Aerospace and Electronics Conference, 1997. NAECON 1997., Proceedings of t IEEE 1997 National , Volume: 2 , 14-17 July 1997

Pages:740 - 747 vol.2

6 Information drill-down using Web tools

Jern, M.;

Information Visualization, 1997. Proceedings., 1997 IEEE Conference on , 27-Aug. 1997

Pages:118 - 125

7 A role for 3D modelling in controlling Webcams and interpreting real time video

Counsell, J.; Smith, S.; Aldrich, S.;

Geometric Modeling and Graphics, 2003. Proceedings. 2003 International Conference on , 16-18 July 2003

Pages:2 - 7

8 Reengineering the Hubble space telescope control center system

Rifkin, A.;

Internet Computing, IEEE , Volume: 1 , Issue: 3 , May-June 1997

Pages:28 - 35

9 A multiple-focus graph browsing technique using heat models and forced directed layout

Osawa, N.;

Information Visualisation, 2001. Proceedings. Fifth International Conference on , 25-27 July 2001

Pages:277 - 283

10 VRMosaic: Web access from within a virtual environment

Angus, I.G.; Sowizral, H.A.;

Computer Graphics and Applications, IEEE , Volume: 16 , Issue: 3 , May 1996

Pages:6 - 10

11 TIN: an interactive image navigator providing ubiquitous access to distributed geo-spatial data

Velez, B.; Cabarcas, A.; Malave, L.;

Information Technology: Coding and Computing, 2004. Proceedings. ITCC 2004 International Conference on , Volume: 1 , 5-7 April 2004

Pages:337 - 343 Vol.1

THE ACM DIGITAL LIBRARY

 Feedback Report a problem Satisfaction survey

Terms used

graphic or iconic near program or language and hyperlink

Found 158 of 150,885

Sort results by

relevance  Save results to a Binder[Try an Advanced Search](#)

Display results

expanded form  Search Tips[Try this search in The ACM Guide](#) Open results in a new window

Results 1 - 20 of 158

Result page: 1 2 3 4 5 6 7 8 next

Relevance scale 

- 1 Model-driven development of Web applications: the AutoWeb system 

Piero Fraternali, Paolo Paolini

October 2000 **ACM Transactions on Information Systems (TOIS)**, Volume 18 Issue 4Full text available:  pdf(6.94 MB)Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This paper describes a methodology for the development of WWW applications and a tool environment specifically tailored for the methodology. The methodology and the development environment are based upon models and techniques already used in the hypermedia, information systems, and software engineering fields, adapted and blended in an original mix. The foundation of the proposal is the conceptual design of WWW applications, using HDM-lite, a notation for the specification of structure, nav ...

Keywords: HTML, WWW, application, development, intranet, modeling

- 2 CMIFed: a transportable hypermedia authoring system 

Lynda Hardman, Guido van Rossum, Jack Jansen, Sjoerd Mullender

October 1994 **Proceedings of the second ACM international conference on Multimedia**Full text available:  pdf(1.93 MB)Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

- 3 Browsers with changing parts: a catalog explorer for Philip Glass' website 

Harry Hochheiser

August 2000 **Proceedings of the conference on Designing interactive systems: processes, practices, methods, and techniques**Full text available:  pdf(446.89 KB)Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)


The development of navigational tools for a web site devoted to a catalog of musical compositions offers a variety of design challenges. A combination of techniques developed from information visualization research - including starfield displays, dynamic queries, and zoomable user interfaces (ZUIs) - was used to construct a prototype browser for possible use in a web site dedicated to the work of Philip Glass. After a discussion of the goals and potential users of the site, this paper descr ...

Keywords: biography, catalog browsing, interactive visualization, music, zoomable user interfaces

- 4 Interactive information visualization in neuroimaging 

Finn Årup Nielsen, Lars Kai Hansen

November 1997 **Proceedings of the 1997 workshop on New paradigms in information visualization and manipulation**



Keywords: VRML, information visualization, neuroimaging

- 5 An object-oriented SGML/HyTime compliant multimedia database management system



M. Tamer Özsu, Paul Iglinski, Duane Szafron, Sherine El-Medani, Manuela Junghanns
November 1997 **Proceedings of the fifth ACM international conference on Multimedia**

Full text available: [pdf\(1.77 MB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

- 6 Late-breaking results: seeing is understanding: new visualization techniques:



Visualizing the crowds at a web site

Nelson Minar, Judith Donath

May 1999 **CHI '99 extended abstracts on Human factors in computing systems**

Full text available: [pdf\(193.41 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

A visualization of the crowds of people visiting a web site is developed. Visitors are drawn as icons on a map of the web site; the animation of people's movements conveys the crowd dynamics of visitors. The visualization combines three pieces: a map of the web site, an iconic representation of individual visitors, and an interpretation of the dynamics of visitor patterns to show crowd phenomena. The effect is to make a web site look like a social, active space.

Keywords: crowds, dynamic visualization, web visualization

- 7 Ubiquitous WWW: Implementing physical hyperlinks using ubiquitous identifier resolution



Tim Kindberg

May 2002 **Proceedings of the eleventh international conference on World Wide Web**

Full text available: [pdf\(400.83 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Identifier resolution is presented as a way to link the physical world with virtual Web resources. In this paradigm, designed to support nomadic users, the user employs a handheld, wirelessly connected, sensor-equipped device to read identifiers associated with physical entities. The identifiers are resolved into virtual resources or actions related to the physical entities - as though the user 'clicked on a physical hyperlink'. We have integrated identifier resolution with the Web so that it ca ...

Keywords: identifier resolution, mobile computing, nomadic computing, physical hyperlinks, ubiquitous computing

- 8 Integrating the document object model with hyperlinks for enhanced topic distillation and information extraction



Soumen Chakrabarti

April 2001 **Proceedings of the tenth international conference on World Wide Web**

Full text available: [pdf\(369.63 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: document object model, minimum description length principle, segmentation, topic distillation

- 9 PaperLink: a technique for hyperlinking from real paper to electronic content

Full text available:  pdf(1.02 MB)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)



Keywords: augmented reality, computer vision systems, hybrid paper electronic interfaces, hyperlinking, input devices, pattern recognition

10 [Near perfect hash table for image databases](#) 

Sanjiv K. Bhatia, Chaman L. Sabharwal

February 1996 **Proceedings of the 1996 ACM symposium on Applied Computing**

Full text available:  pdf(572.57 KB)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: 2D string, hash table, image database indexing

11 [Links for a better web: Refinement of TF-IDF schemes for web pages using their hyperlinked neighboring pages](#) 

Kazunari Sugiyama, Kenji Hatano, Masatoshi Yoshikawa, Shunsuke Uemura

August 2003 **Proceedings of the fourteenth ACM conference on Hypertext and hypermedia**

Full text available:  pdf(211.25 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

In IR (information retrieval) systems based on the vector space model, the TF-IDF scheme is widely used to characterize documents. However, in the case of documents with hyperlink structures such as Web pages, it is necessary to develop a technique for representing the contents of Web pages more accurately by exploiting the contents of their hyperlinked neighboring pages. In this paper, we first propose several approaches to refining the TF-IDF scheme for a target Web page by using the contents ...

Keywords: TF-IDF scheme, WWW, hyperlink, information retrieval

12 [Multimodal communication: Towards integrated microplanning of language and iconic gesture for multimodal output](#) 

Stefan Kopp, Paul Tepper, Justine Cassell

October 2004 **Proceedings of the 6th international conference on Multimodal interfaces**

Full text available:  pdf(347.25 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

When talking about spatial domains, humans frequently accompany their explanations with iconic gestures to depict what they are referring to. For example, when giving directions, it is common to see people making gestures that indicate the shape of buildings, or outline a route to be taken by the listener, and these gestures are essential to the understanding of the directions. Based on results from an ongoing study on language and gesture in direction-giving, we propose a framework to analyze ...

Keywords: embodied conversational agents, generation, gesture, language, multimodal output

13 [User interface support for the integration of software tools: an iconic model of interaction](#) 

Michel Beaudouin-Lafon

November 1988 **Proceedings of the third ACM SIGSOFT/SIGPLAN software engineering symposium on Practical software development environments**, Volume 13 , 24 Issue 5 , 2

Full text available:  pdf(1.17 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This paper presents a model of interaction based on an iconic representation of objects. An application of the model to an iconic shell for Unix™ is described. Finally a client server architecture for the implementation of the model is introduced. We show that a software development environment can take advantage of such a model and architecture in order to provide a consistent, adaptable and extensible user interface.

14 Authoritative sources in a hyperlinked environment



Jon M. Kleinberg

September 1999 **Journal of the ACM (JACM)**, Volume 46 Issue 5

Full text available: [pdf\(195.41 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

The network structure of a hyperlinked environment can be a rich source of information about the content of the environment, provided we have effective means for understanding it. We develop a set of algorithmic tools for extracting information from the link structures of such environments, and report on experiments that demonstrate their effectiveness in a variety of context on the World Wide Web. The central issue we address within our framework is the distillation of broad search topics, ...

Keywords: World Wide Web, graph algorithms, hypertext structure, link analysis

15 Enhanced hypertext categorization using hyperlinks



Soumen Chakrabarti, Byron Dom, Piotr Indyk

June 1998 **ACM SIGMOD Record , Proceedings of the 1998 ACM SIGMOD international conference on Management of data**, Volume 27 Issue 2

Full text available: [pdf\(1.91 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

A major challenge in indexing unstructured hypertext databases is to automatically extract meta-data that enables structured search using topic taxonomies, circumvents keyword ambiguity, and improves the quality of search and profile-based routing and filtering.

Therefore, an accurate classifier is an essential component of a hypertext database.

Hyperlinks pose new problems not addressed in the extensive text classification literature. Links clearly contain high-quality semantic clues that ...

16 ARIS: an interface for application relocation in an interactive space



Jacob T. Biehl, Brian P. Bailey

May 2004 **Proceedings of the 2004 conference on Graphics interface**

Full text available: [pdf\(528.10 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#)

By enabling users to better manage information across PDAs, laptops, graphics tablets, and large screens, the use of an interactive space could dramatically improve how users share information in collaborative work. To enable a user to better manage information in an interactive space, we iteratively designed an interactive space window manager called ARIS. We discuss the implementation of ARIS and we share lessons learned from user evaluations about how to design a more effective window manager ...

Keywords: prototyping, ubiquitous computing, window manager

17 IR-5 (information retrieval): information retrieval applications: The liberal media and right-wing conspiracies: using cocitation information to estimate political orientation in web documents



Miles Efron

November 2004 **Proceedings of the Thirteenth ACM conference on Information and knowledge management**

Full text available: [pdf\(321.47 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

This paper introduces a simple method for estimating <i>cultural orientation</i>, the affiliation of online entities in a polarized field of discourse. In particular, cocitation information is used to estimate the political orientation of hypertext documents. A type of

cultural orientation, the political orientation of a document is the degree to which it participates in traditionally left- or right-wing beliefs. Estimating documents' political orientation is of interest for personali ...

Keywords: PMI-IR, cocitation, cultural orientation, opinion mining, personalization, politics

18 An orthogonal taxonomy for hyperlink anchor generation in video streams using OvalTine



Jason McC. Smith, David Stotts, Sang-Uok Kum

May 2000 **Proceedings of the eleventh ACM on Hypertext and hypermedia**

Full text available: [pdf\(332.93 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: automated anchor generation, collaboration, digital video, hypervideo, streaming video

19 Survey articles: Data mining for hypertext: a tutorial survey



Soumen Chakrabarti

January 2000 **ACM SIGKDD Explorations Newsletter**, Volume 1 Issue 2

Full text available: [pdf\(1.19 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

With over 800 million pages covering most areas of human endeavor, the World-wide Web is a fertile ground for data mining research to make a difference to the effectiveness of information search. Today, Web surfers access the Web through two dominant interfaces: clicking on hyperlinks and searching via keyword queries. This process is often tentative and unsatisfactory. Better support is needed for expressing one's information need and dealing with a search result in more structured ways than av ...

20 1a---Links and Navigation: The look of the link - concepts for the user interface of extended hyperlinks



Harald Weinreich, Hartmut Obendorf, Winfried Lamersdorf

September 2001 **Proceedings of the twelfth ACM conference on Hypertext and Hypermedia**

Full text available: [pdf\(307.01 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The design of hypertext systems has been subject to intense research. Apparently, one topic was mostly neglected: how to visualize and interact with link markers.

This paper presents an overview of pragmatic historical approaches, and discusses problems evolving from sophisticated hypertext linking features. Blending the potential of an XLink-enhanced Web with old ideas and recent GUI techniques, a vision for browser link interfaces of the future is being developed. We hope to stimula ...

Keywords: Web, XLink, distributed hypertext, link marker, user interface

Results 1 - 20 of 158

Result page: **1** [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)

Databases selected: Multiple databases...

New scholarly features & content!

Results – powered by ProQuest® Smart Search

Suggested Topics [About](#)

[**< Previous**](#) | [**Next >**](#)
[Television programming](#)[Television programming AND Television programs](#)[Television programming AND Software packages](#)[Television programming AND Software](#)

Browse Suggested Publications

[About](#) [**< Previous**](#) | [**Next >**](#)
[Cablefax Daily, Denver](#)[Corrections Today, Lanham](#)[Interfaces, Linthicum](#)9 documents found for: *iconic programming*
[Setup Alert](#) [About](#)

All sources Scholarly Journals Magazines Trade Publications Newspapers Dissertations

[Mark / Clear all on page](#)

[View marked documents](#)

[Show all documents](#)

Sort results by: [Most recent first](#)

1. [Bright lights, big story: \[Final 7 Edition\]](#)

Sally Kinnes. Sunday Times. London (UK): Oct 31, 2004. p. 22

[Full text](#)

[Abstract](#)

2. [Introduction and overview](#)

Journal of the American Society for Information Science and Technology. Hoboken: Sep 2001. Vol. 52, Iss. 11; p. 906

[Article image - PDF](#)

[Citation](#)

3. [Lakewood Automation Signs as First Distributor For Integral Vision's Industrial Vision Controller PR Newswire.](#) New York: Aug 31, 2000. p. 1

[Full text](#)

[Abstract](#)

4. [Visual programming: Perspectives and approaches](#)

N C Shu. IBM Systems Journal. Armonk: 1999. Vol. 38, Iss. 2/3; p. 199 (23 pages)

[Text+Graphics](#)

[Page Image - PDF](#)

[Abstract](#)

5. [Programming on an already full brain](#)

Christopher Fry. Association for Computing Machinery. Communications of the ACM. New York: Apr 1997. Vol. 40, Iss. 4; p. 55 (10 pages)

[Text+Graphics](#)

[Page Image - PDF](#)

[Abstract](#)

6. [Beyond FileMaker Pro: Alternative Web-database options](#)

Anonymous. Macworld. San Francisco: Apr 1997. Vol. 14, Iss. 4; p. 118 (2 pages)

[Text+Graphics](#)

[Page Image - PDF](#)

[Abstract](#)

7. [California's motion-control gold mine](#)

Gottschalk, Mark A. Design News. Boston: Aug 26, 1996. Vol. 51, Iss. 16; p. 79 (5 pages)

[Text+Graphics](#)

[Page Image - PDF](#)

[Abstract](#)

8. [VIP-C 1.5](#)

Seiter, Charles. Macworld. San Francisco: Feb 1995. Vol. 12, Iss. 2; p. 85 (1 page)

[Full text](#)

[Abstract](#)

9. [RAD II \(Part 2 of 2\)](#)

DelRossi, Robert A, Quinn, Stephen R. InfoWorld. San Mateo: Apr 25, 1994. Vol. 16, Iss. 17; p. 82 (8 pages)

1-9 of 9

Want an alert for new results sent by email? [Setup Alert](#) [About](#)Results per page: [30](#)

Did you find what you're looking for? If not, revise your search below or try these suggestions:

Suggested Topics [About](#)< Previous | [Next >](#)[Television programming](#)[Television programming AND Television programs](#)[Television programming AND Software packages](#)[Television programming AND Software](#)**Browse Suggested Publications**[About](#)[Cablefax Daily: Denver](#)[Corrections Today: Lanham](#)[Interfaces: Linthicum](#)< Previous | [Next >](#)**Basic Search**[Tools: Search Tips](#) [Browse Topics](#) [4 Recent Searches](#)Database: [Select multiple databases](#)Date range: Limit results to: [Full text documents only](#) [Scholarly journals, including peer-reviewed](#) [About](#)[More Search Options](#)Copyright © 2005 ProQuest Information and Learning Company. All rights reserved. [Terms and Conditions](#)[Text-only interface](#)**From:ProQuest**